

# Fiche Technique

## Midi Tora LED

☐ Blanc
 ☐ Noir
 ☐ Gris
 ☐ Chroom
 ☐ RAL



### Caractéristiques:

Taille de découpe	N/A
Min. hauteur encastrée	N/A
Poids	1.75kg
IP	20
Classe d'isolation	II
Essai du fil incandescent	850 °C
RoHS	Oui
Sans UV	Oui
Certification	CE

### Source de lumière:

Température de couleur	2700K - 3000K - 3500K - 4000K & PW
CRI	Ra 80 & Ra 90
Refroidissement	Actif & Passif
Efficience	92%
SDCM	<3
Durée de vie	50.000h
LB valeur	L80B10

### Alimentation:

Driver	Inclus
Voltage	230V
Max. puissance	51.5W



### Options:

Barndoors	Non
Nid d'abeille	Non
Filtre UV	Oui
Couleurs Filtres	Oui
Dimmable	DALI & Phase* & Casambi
Eclairage de secours	Non
Fixpoint	Oui

### Reflectors:



**Projection**.eu  
CREATIVE SOLUTIONS IN SHOP LIGHTING



	Ra 80	Ra 90	830	835	927	930	930PW	935PW	940PW
Lumen	Power (W)	Power (W)	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt
*700	7.2W	7.1W	96	101	102	106	106	111	114
*1500	10.8W	11.6W	159	145	126	130	130	137	141
2000	13.0W	16.7W	155	158	120	124	124	131	134
2500	16.7W	20.6W	150	153	117	121	121	127	131
3000	20.7W	26.0W	145	148	112	116	116	122	125
3500	24.7W	31.0W	142	144	108	112	112	118	121
4000	29.8W	37.5W	136	139	103	107	107	113	116
5000	35.8W	46.2W	144	147	110	115	115	120	124
6000	46.2W	51.5W	136	139	108	113	113	117	121

# Data Sheet

## Midi Tora LED

☐ White
 ☐ Black
 ☐ Grey
 ☐ Chrome
 ☐ RAL



### Characteristics:

Cut-out size	N/A
Min. recessed height	N/A
Weight	1.75kg
IP	20
Isolation class	II
Glow wire test	850 °C
RoHS	Yes
UV free	Yes
Certification	CE


### Light source:

Colour temperature	2700K - 3000K - 3500K - 4000K & PW
CRI	Ra 80 & Ra 90
Cooling	Actif & Passif
Efficiency	92%
SDCM	<3
Lifetime	50.000h
LB value	L80B10



### Power supply:

Driver	Included
Voltage	230V
Max. power	51.5W

### Reflectors:



**Projection**.eu  
CREATIVE SOLUTIONS IN SHOP LIGHTING



	Ra 80	Ra 90	830	835	927	930	930PW	935PW	940PW
Lumen	Power (W)	Power (W)	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt	Lumen/Watt
*700	7.2W	7.1W	96	101	102	106	106	111	114
*1500	10.8W	11.6W	159	145	126	130	130	137	141
2000	13.0W	16.7W	155	158	120	124	124	131	134
2500	16.7W	20.6W	150	153	117	121	121	127	131
3000	20.7W	26.0W	145	148	112	116	116	122	125
3500	24.7W	31.0W	142	144	108	112	112	118	121
4000	29.8W	37.5W	136	139	103	107	107	113	116
5000	35.8W	46.2W	144	147	110	115	115	120	124
6000	46.2W	51.5W	136	139	108	113	113	117	121